


SYNTHETIC-RESIN PARTS

CONTENTS


LOCATION OF SYNTHETIC-RESIN PARTS . . . 2

LOCATION OF SYNTHETIC-RESIN PARTS

The following shows the main locations of synthetic-resin parts.



A1042AV



Y0343AV

No.	Part number	Material	Abbreviation of material	Heat-resistant temperature (°C)
1	Outside mirror	Acrylonitrile	ABS	80
2	Rear spoiler	Butadiene styrene		
3	Roof antenna	Acrylonitrile Ethylene butadiene	AES	90
4	Headlamp	Polycarbonate	PC	120
5	Front bumper bezel	Polycarbonate +	PC + ABS	125 - 135
6	Rear door outside handle	Acrylonitrile butadiene styrene		
7	Front door outside handle			
8	Splash shield	Polyethylene	PE	100
9	Oil cooler duct	Polypropylene	PP	80
10	Instrument panel			
11	Front pillar trim			
12	Inside rear view mirror			
13	Centre pillar trim			
14	Rear pillar trim			
15	Rear door trim			
16	Rear end trim			
17	Rear scuff plate			
18	Rear console box			
19	Front scuff plate			
20	Cowl side trim			
21	Front bumper extension	Rubber denatured polypropylene	PP + E/P	80
22	Front bumper face			
23	License plate garnish			
24	Front door trim			
25	Rear bumper face	With talc added rubber denatured polypropylene	PP + E/P- TD (HMPP)	80 - 100
26	Side sill extension	With 20% talc added rubber denatured polypropylene	PP + E/P- TD20 (HMPP)	110
27	Center pillar trim lower	With 10 % talc added polypropylene	PP - TD10 (PPF)	110 - 120
28	Front deck garnish	With 20 % talc added polypropylene	PP - TD20 (PPF)	120 - 130
29	Floor console			
30	Hood inlet upper garnish	Polyphenylene ether + Polyamide	PPE+PA (PA/PPO)	185
31	Roof drip molding	Polyvinyl chloride	PVC	80

NOTE

1. If the new material symbols designated by the ISO differ from the old symbols, both are given, with the old symbols enclosed in brackets.
ISO: (International Standardization Organization)
2. A slash (/) in the material symbol indicates that two different materials compose a 2-layer construction. A plus sign (+) indicates that the two different materials are mixed.
3. The material symbols for synthetic-resin parts are embossed on parts in hidden places.

NOTES